# First 5 LA PCIT Workshop Data Entry for OMA Outcomes Measures Application

Friday, January 10, 2014 9 a.m. -12 p.m.

### Learning Objectives

- To introduce First 5 LA Parent-Child Interaction Therapy (PCIT)
- Learn about First 5 LA PCIT Outcomes and the differences from other PEI Outcomes
- Discuss how to organize and check Outcome questionnaire scores from Clinicians
- Learn how to enter those scores in the OMA computer application
- Learn how to spot and fix problems with Outcome Measures Data

### WHAT IS PCIT?

**Evidence-Based Therapeutic Intervention** 

Developed to reduce children's disruptive behaviors and improve parenting skills

Both parent and child participate in treatment sessions to promote positive parent-child relationships

Coaching from therapist (via one-way mirror & ear device)

### TARGET POPULATION

- The First 5 LA PCIT priority population is 2-5 year olds.
- Children with disruptive behaviors:
  - Physical and verbal aggression
  - Defiance
  - Temper tantrums
  - Talking back
  - Trauma symptoms

- The First 5 LA Parent-Child Interaction Therapy (PCIT) is unique from other Evidenced Based Practices (EBP's) in Los Angeles County.
- The source of funding for PCIT is First 5 LA, which is different from the Prevention and Early Intervention (PEI) EBP's funded by the Mental Health Services Act (MHSA).

### TRAINING PROGRAM

- \$20 Million Investment ~ 5 years (2012-2017)
- Capital Needs Expenditure
- 100 Hours of Training
- 4 Clinicians on a Team
- 2 Completed Cases = Approved
- 4 Completed Cases = Trainer of Trainer







### **PCIT PARTNERS**



• First 5 LA



Department of Mental Health



UC Davis Training Center



### Partners Webpages

#### DMH FIRST 5 LA PARENT-CHILD INTERACTION THERAPY WEBPAGE

- http://dmh.lacounty.gov/wps/portal/dmh/home/
  - 1) Click on "Our Services"
  - 2) Click on "Children"
  - 3) Click on First 5 LA Parent-Child Interaction Therapy

#### **UC DAVIS WEBPAGE**

http://pcit.ucdavis.edu/

#### FIRST 5 LA WEBPAGE

www.first5la.org

### Why are Outcomes Important?

Outcomes are questionnaires to help us understand what is effective.

DMH receives funds from First 5 LA. Therefore, outcome measures are mandated just as PEI does for MHSA funds.

### WHAT IS FIRST 5 LA?


 First 5 LA oversees the L.A. County allocation of funds from Proposition 10, which added a 50¢ tax on tobacco products sold in California.



### FIRST 5 LA GOALS

#### Children:

- Are born healthy
- 2. Maintain a healthy weight
- 3. Are safe from abuse and neglect
- 4. Are ready for kindergarten



**Building Stronger Families Framework** 

### First 5 LA PCIT OUTCOME MEASURES

Make sure you know what questionnaires you'll be getting, what the schedule is, and what the workflow is!

What are the measures being used?



### Eyberg Child Behavior Inventory (ECBI)

- Assess disruptive behaviors
  - Completed by parent
  - 36 items
  - 2 Major Scales-Intensity and Problem
- Intensity Scale: Likert Scale (1=Never to 7=Always)
- Problem Scale: Yes or No




#### Sutter-Eyberg Student Behavior Inventory Revised (SESBI-R)

- Assess disruptive behaviors in the school setting
  - Completed by Teacher
  - 38 items
  - 2 Major Scales-Intensity and Problem
- Intensity Scale: Likert Scale
- Problem Scale: Yes or No




### Parent Stress Index-4-Short Form (PSI-4-SF)

- Assess parent child issues
  - 36 items
  - Range of choicesStrongly Agree to Strongly Disagree
- 3 Domains
  - Parental Distress (PD)
  - Parent-Child Dysfunctional Interaction (P-CDI)
  - Difficult Child (DC)



#### Trauma Symptom Checklist for Young Children (TSCYC)

- TSCYC: Evaluates acute and chronic post traumatic symptoms
  - Completed by parent/caregiver
  - Ages 3 and up ONLY
  - 90 items
  - 4-point scale to rate frequency within the previous month



\* Should be done in trauma cases only

### Communicate with PCIT Clinicians...

This is key to avoid making mistakes.

• It is <u>NOW</u> time to input data. The First 5 LA

PCIT is available.




### Advanced Providers (FY 2012-13)

 Outcome Measures may be entered for PEI and First 5 LA PCIT.

- The measures are different for First 5 LA clients.
- Check with the clinician which funding source each PCIT client is under.

### First 5 LA PCIT VS. PEI PCIT



Don't use this for First 5 LA PCIT

### Working on Outcomes with Clinicians...

BEGINNING OF TREATMENT	<u>5 LA PCIT Ages 2-5</u> OUTCOMES WORK First 5: Parent-Child Interaction Therapy (PCIT)	OF .	
TREATMENT		TREATMENT	
	ADMINISTRATIVE INFORMATION		
Client ID			
Client Last Name	Client First Name		
Provider ID	Therapist ID/Sta	ff Code	
	BEGINNING OF TREATMENT INFORMATION		
DSM IV Axis I Principle Dia	agnosis Code		
Date of Intake	Date of First (EBP Treatment) Session		
Please check one of the f	following options for the Child Caregiver Relationship: Adop	otive Parent	
Biological Parent (21 yrs. a	nd over) Foster Caregiver Relative Teen Biolo	gical Parent (12-20 yrs.)	
	PRE-TREATMENT QUESTIONNAIRES		
Parent Stress Index-4 Short Form®	Trauma Symptom Checklist for Young Children <sup>o</sup> Ages 3-6	Eyberg Child Behavior Inventory® Ages 2-6	
Admin. Date	Admin. Date	Admin. Date	Child Caregiver Relationship
Defensive Responding Raw Score	Response Level (RL) Raw Score Response Level (RL) T-Score	Intensity	Crilla Caregiver Relationship
	Atypical Response Atypical Response (AR) Raw Score (AR) T-Score	Raw Score	needs to be indicated.
Parental Distress (PD) Raw Score	Atypical Response (AR) Raw Score (AR) T-Score	Intensity T-Score	needs to be indicated.
Parental Distress (PD)	Anxiety (AX) Raw Score Anxiety (AX) T-Score	Problem	
T-Score	Depression (DEP) Depression (DEP)	Raw Score	
Parent-Child Dysfunctional Interaction (P-CDI)	Raw Score T-Score	Problem T-Score	Reasons for "Unable to
Raw Score Parent-Child Dysfunctional	Anger/Aggression Anger/Aggression (ANG) Raw Score (ANG) T-Score	If "Unable to	Treasons for Onable to
Interaction (P-CDI) T-Score	Posttraumatic Posttraumatic	Collect," Enter Number from Below	Collect"
Difficult Child (DC)	Stress-Intrusion Stress-Intrusion (PTS-I) Raw Score (PTS-I) T-Score	Sutter-Eyberg Student	Collect
Raw Score	Posttraumatic Posttraumatic Stress-Avoidance Stress-Avoidance	Behavior Inventory-Revised® Ages 2-6	
Difficult Child (DC) T-Score	(PTS-AV) Raw Score (PTS-AV) T-Score Posttraumatic Posttraumatic	Admin. Date	
	Stress-Arousal Stress-Arousal (PTS-AR) Raw Score (PTS-AR) T-Score		
Total Stress Raw Score	Posttraumatic Posttraumatic Stress-Total Stress-Total	Intensity Raw Score	
Total Stress	(PTS-TOT) Raw Score (PTS-TOT) T-Score Dissociation (DIS) Dissociation (DIS)	Intensity	
T-Score	Raw Score T-Score	T-Score	
If "Unable to Collect," Enter Number from	Sexual Concerns (SC) Raw Score Sexual Concerns (SC) T-Score	Problem Raw Score	
Below	If "Unable to Collect," Enter If "Unable to	Problem T-Score	
	Numbér from Collect," Enter Below Number from		
	Below	If "Unable to Collect," Enter Number from	
		Below	

<sup>1.</sup> Administered wrong form - 2. Administration date exceeds acceptable range - 3. Clinician not trained in outcome measure - 4. Invalid outcome measure - 5. Lost contact with parent/care provider - 6. Not available in primary language - 7. Outcome measure unavailable - 8. Parent/Caregiver refused - 9.Parent/Caregiver unavailable - 10. Premature Termination - 11. Client / Family in Crisis - 12. Therapist did not administer tool - 13. Teacher refused (SESBI only) - 14. Teacher refused (SESBI only) - 15. SESBI is not required - 16. No known trauma (TISOYC) not required

#### **UPDATE** First 5 LA PCIT Ages 2-5 OUTCOMES WORKSHEET

First 5: Parent-Child Interaction Therapy (PCIT)

ADMINISTRATIVE INFORMATION							
Client ID							
Client Last Name Client First Name							
Provider ID	Therapist ID/Staff Code						
UPDATE TREATMENT QUESTIONNAIRES							

Parent Stress Index-4 Short Form®	
Admin. Date	
Defensive Responding Raw Score	
Parental Distress (PD) Raw Score	
Parental Distress (PD) T-Score	
Parent-Child Dysfunctional Interaction (P-CDI) Raw Score	
Parent-Child Dysfunctional Interaction (P-CDI) T-Score	
Difficult Child (DC) Raw Score	
Difficult Child (DC) T-Score	
Total Stress Raw Score	
Total Stress T-Score	
If "Unable to Collect," Enter Number from	

Reasons for "Unable to Collect"

Administered wrong form - 2. Administration date exceeds acceptable range - 3. Clinician not trained in outcome measure - 4. Invalid outcome measure - 5. Lost contact with parent/care provider - 6. Not available in primary language - 7. Outcome measure unavailable - 8. Parent/Caregiver refused - 9.Parent/Caregiver unavailable - 10. Premature Termination - 11. Client /Family in Orisis - 12. Therapist did not administer tool - 13. Teacher unavailable (SESBI only) - 15. SESBI is not required - 16. No known trauma (TSCYC) not required

Clinicians may do
PSI updates at any point
between the beginning
and end of treatment.

MID OF TREATMENT

#### First 5 LA PCIT Ages 2-5 OUTCOMES WORKSHEET

MID OF TREATMENT

First 5: Parent-Child Interaction Therapy (PCIT)

ADMINISTRATIVE INFORMATION						
Client ID						
Client Last Name		Client First Name				
Provider ID		Therapist ID/S	Staff Code			
Date of CDI Met						
	MIDPOINT OF	TREATMENT QUESTIONNA	ires			
Parent Stress Ind Short Form <sup>e</sup>		Trauma Symptom Checklist for Young Children <sup>6</sup> Ages 3-6	Eyberg Child Behavior Inventory <sup>5</sup> Ages 2-6			
Admin. Date		Admin. Date	Admin. Date			
Defensive Responding Raw Score	Response Level (RL) Raw Score	Response Level (RL) T-Score	Intensity Raw Score			
Parental Distress (PD) Raw Score	Atypical Response (AR) Raw Score	Atypical Response (AR) T-Score	Intensity T-Score			
Parental Distress (PD) T-Score	Anxiety (AX) Raw Score	Anxiety (AX) T-Score	Problem Raw Score			
Parent-Child Dysfunctional Interaction (P-CDI) Raw Score	Depression (DEP) Raw Score	Depression (DEP) T-Score	Problem T-Score			
Parent-Child Dysfunctional Interaction (P-CDI) T-Score	Anger/Aggression (ANG) Raw Score	Anger/Aggression (ANG) T-Score	If "Unable to Collect," Enter			
Difficult Child (DC) Raw Score	Posttraumatic Stress-Intrusion (PTS-I) Raw Score	Posttraumatic Stress-Intrusion (PTS-I) T-Score	Number from Below			
Difficult Child (DC) T-Score	Posttraumatic Stress-Avoidance (PTS-AV) Raw Scor	Posttraumatic Stress-Avoidance e (PTS-AV) T-Score	Sutter-Eyberg Student Behavior Inventory-Revised® Ages 2-6			
Total Stress Raw Score	Posttraumatic Stress-Arousal (PTS-AR) Raw Scon	Posttraumatic Stress-Arousal (PTS-AR) T-Score	Admin. Date			
Total Stress T-Score	Posttraumatic Stress-Total (PTS-TOT) Raw Sco	Posttraumatic Stress-Total (PTS-TOT) T-Score	Intensity Raw Score Intensity			
If "Unable to Collect," Enter Number from	Dissociation (DIS) Raw Score	Dissociation (DIS) T-Score	T-Score Problem			
Below	Sexual Concerns (SC) Raw Score	Sexual Concerns (SC) T-Score	Raw Score  Problem T-Score			
	If "Unable to Collect," Ente Number from Below	or Collect," Enter Number from Below	If "Unable to Collect," Enter Number from Balow			

Reasons for "Unable to Collect"

Administered wrong form - 2. Administration date exceeds acceptable range - 3. Clinician not trained in outcome measure - 4. Invalid outcome measure - 5. Lost contact with parent/Care provider - 6. Not available in primary language - 7. Outcome measure unavailable - 8. Parent/Caregiver refused - 9.Parent/Caregiver unavailable - 10. Premature Termination - 11. Client /Family in Orisis - 12. Therapist did not administer tool - 13. Teacher unavailable (SESBI only) - 14. Teacher refused (SESBI only) - 15. SESBI is not required - 16. No Innown trauma (TSCYC) not required

Rev. 1/7/2014

### First 5 LA PCIT has a Mid of Treatment.

### Make sure that CDI met date is indicated.



PLEASE BE SURE TO COMPLETE ALL THE END OF TREATMENT QUESTIONNAIRES
SEE PAGE TWO FOR THE PSI-4-SF AND TSCYC

Disposition options for First 5 LA PCIT differ from other EBP's.

Treatment outcome options are needed if client did not complete EBP.

Child Caregiver Relationship needs to be indicated if there was a change during treatment.

END OF TREATMENT QUESTIONNAIRES CONTINUE		

	Stress Index-4 ort Form <sup>®</sup>		Trauma for	Symptom Checklist Young Children <sup>®</sup> Ages 3-12	:
Admin. Date			Admin. Date		
Defensive Responding Raw Score		Response Level (RL) Raw Score		Response Level (RL) T-Score	
Parental Distress (PD) Raw Score		Atypical Response (AR) Raw Score		Atypical Response (AR) T-Score	
Parental Distress (PD) T-Score		Anxiety (AX) Raw Score		Anxiety (AX) T-Score	
Parent-Child Dysfunctional Interaction (P-CDI)		Depression (DEP) Raw Score		Depression (DEP) T-score	
Parent-Child Dysfunctional Interaction (P-CDI)		Anger/Aggression (ANG) Raw Score		Anger/Aggression (ANG) T-Score	
T-Score Difficult Child (DC) Raw Score		Posttraumatic Stress-Intrusion (PTS-I) Raw Score		Posttraumatic Stress-Intrusion (PTS-I) T-Score	
Difficult Child (DC)		Posttraumatic Stress-Avoidance (PTS-AV) Raw Score		Posttraumatic Stress-Avoidance (PTS-AV) T-Score	
T-Score Total Stress		Posttraumatic Stress-Arousal (PTS-AR) Raw Score		Posttraumatic Stress-Arousal (PTS-AR) T-Score	
Raw Score		Posttraumatic Stress-Total (PTS-TOT) Raw Score		Posttraumatic Stress-Total (PTS-TOT) T-Score	
Total Stress T-Score		Dissociation (DIS) Raw Score		Dissociation (DIS) T-Score	
If "Unable to Collect," Enter Number from Below		Sexual Concerns (SC) Raw Score		Sexual Concerns (SC) T-Score	
		If "Unable to Collect," Enter Number from		If "Unable to Collect," Enter Number from	

Reasons for "Unable to Collect"

- 1. Administered wrong form 2. Administration date exceeds acceptable range 3. Clinician not trained in outcome measure 4. Invalid outcome measure
- 5. Lost contact with parent/care provider-6. Not available in primary language -7. Outcome measure unavailable -8. Parent/Caregiver refused
   -9.Parent/Caregiver unavailable -10. Premature Termination -11. Client / Family in Crists -12. Therapist did not administer tool: 13. Teacher unavailable (SESI) only)
   -14. Teacher refused (SESI) only) -15. SESII is not required -16. Not how now trauma (TSOC) not required

#### This questionnaire is 2 pages long



Reasons for "Unable to Collect"

PAGE 2 Rev. 1/7/2014

### Clinicians may be unable to collect a questionnaire. Make sure they indicate why...

Defensive Responding T-Score  Parental Distress (PD) T-Score  Parent-Child Dysfunctional Interaction (P-CDI) T-Score  Difficult Child (DC) T-Score  Total Stress T-Score  If "Unable to		Posttraumatic Stress-Avoidance (PTS-AV) Raw Score Posttraumatic Stress-Arousal (PTS-AR) Raw Score Posttraumatic Stress-Total (PTS-TOT) Raw Score Dissociation (DIS) Raw Score Sexual Concerns (SC) Raw Score		(PTS-I) T-Score  Posttraumatic Stress-Avoidance (PTS-AV) T-Score  Posttraumatic Stress-Arousal (PTS-AR) T-Score  Posttraumatic Stress-Total (PTS-TOT) T-Score  Dissociation (DIS) T-Score  Sexual Concerns (SC) T-Score		Sutter-Eyberg St Behavior Inventory Ages 2-16 Admin. Date  Intensity Raw Score Intensity T-Score  Problem Raw Score Problem T-Score	-Revised <sup>o</sup>
Collect," Enter Number from Below	2	If "Unable to Collect," Enter Number from Below	16	If "Unable to Collect," Enter Number from Below	16	If "Unable to Collect," Enter Number from Below	15

- 1. Administered wrong form 2. Administration date exceeds acceptable range 3. Clinician not trained in outcome measure 4. Invalid outcome measure
  - 5. Lost contact with parent/care provider- 6. Not available in primary language 7. Outcome measure unavailable 8. Parent/Caregiver refused
  - -9.Parent/Caregiver unavailable 10. Premature Termination -11. Client /Family in Crisis 12. Therapist did not administer tool
- -13. Teacher unavailable (SESBI only) -14. Teacher refused (SESBI only) -15. SESBI is not required -16. No known trauma (TSCYC) not required Rev. 1/6/2014

Defensive Responding T-Score Parental Distress (PD)	(P15-I) Raw Score Posttraumatic Stress-Avoidance (PTS-AV) Raw Score		(PTS-I) T-Score Posttraumatic Stress-Avoidance (PTS-AV) T-Score		Sutter-Eyberg St Behavior Inventory- Ages 2-16 Admin. Date	Revised <sup>6</sup>
T-Score Parent-Child Dysfunctional	Posttraumatic Stress-Arousal (PTS-AR) Raw Score		Posttraumatic Stress-Arousal (PTS-AR) T-Score		Intensity Raw Score	
Interaction (P-CDI) T-Score Difficult Child (DC)	Posttraumatic Stress-Total (PTS-TOT) Raw Score		Posttraumatic Stress-Total (PTS-TOT) T-Score		Intensity T-Score	
T-Score Total Stress T-Score	Dissociation (DIS) Raw Score Sexual Concerns		Dissociation (DIS) T-Score		Problem Raw Score	
If "Unable to	(SC) RawScore		Sexual Concerns (SC) T-Score		Problem T-Score	
Collect," Enter Number from Below	If "Unable to Collect," Enter Number from Below	16	If "Unable to Collect," Enter Number from Below	16	If "Unable to Collect," Enter Number from Below	15

#### Reasons for "Unable to Collect"

- 1. Administered wrong form 2. Administration date exceeds acceptable range 3. Clinician not trained in outcome measure 4. Invalid outcome measure
  - 5. Lost contact with parent/care provider- 6. Not available in primary language 7. Outcome measure unavailable 8. Parent/Caregiver refused
  - -9.Parent/Caregiver unavailable 10. Premature Termination -11. Client /Family in Crisis 12. Therapist did not administer tool
- -13. Teacher unavailable (SESBI only) -14. Teacher refused (SESBI only) -15. SESBI is not required -16. No known trauma (TSCYC) not required Rev. 1/6/2014

SESBI is required only when a child attends daycare/school. Teachers will be asked to fill out this outcome measure in addition to the EBCI.

TSCYC is only required if a clinician knows that a child has experienced trauma or at any point in which they find out.

### DMH OMA WIKI

1.) Enter the URL or go to the First 5 LA DMH Webpage.

http://dmhoma.pbworks.com/w/page/11088935/ FrontPage

- 2.) Takes you to the Frontpage of the WIKI
- 3.) Sidebar options, click on First 5 LA PCIT
- 4.) Access to information and forms

### Timeline for Measures

Assessment Tools	Beginning of Treatment	<u>Updates</u>	Mid of Treatment	End of Treatment
ECBI	Х		Х	х
SESBI	CHILD ATTENDS SCHOOL		CHILD ATTENDS SCHOOL	CHILD ATTENDS SCHOOL
PSI	х	x	x	х
TSCYC	IN TRAUMA CASES ONLY		IN TRAUMA CASES ONLY	IN TRAUMA CASES ONLY

Clinicians have 14 days to collect outcome measures at all points above after sessions

Updates for PSI may be done anytime between the beginning and end of treatment.

The TSCYC should be done anytime when there is known trauma

### 21 Day Window

For First 5 LA PCIT users, the Questionnaire Administration Date for all questionnaires must be between 7 days prior to and 14 days after one of the following collection points depending on the type of questionnaire:

- Pre Questionnaires: Date of First Session
- Mid Questionnaires: Date CDI Met
- Post Questionnaires: Date of Last Session




### Rules about Dates...

- Pre's are done within 14 days of the 1st EBP Session.
- Mid's are done within 14 days of the midpoint session.
- Post's are done within 14 days of the last EBP Session.
- Updates can be done any time after the pre's, mid's and post's. But, not on the same date.

### Rules about Birthday Dates...

- The Questionnaires that the clinician will use depends on the client's AGE at the time of the FIRST EBP SESSION.
- The system will calculate the client's age based on their age in the Integrated System at the time of the first EBP Session. <u>6 years olds will not be allowed under First 5 LA PCIT.</u>
- Clinicians use the same set of Questionnaires throughout treatment, even if the client has a birthday. <u>A child may be 5 at the</u> <u>First EBP session and turn 6</u> during the course of treatment.

This clinician should not have done the TSCYC. The client is only 2 years old.



### Data Entry Case Scenario

- Client is a 3 year old foster child
- Experienced trauma/domestic violence (known at the beginning of treatment)
- She attends preschool
- She reunifies with her biological mother during treatment
- She completes her goals/EBP.

What are the outcome measures that need to be completed and entered?

### "In a perfect world"...

All the forms should be completed by the clinician within the 14 day window.

Pre: EBCI, SESBI, PSI & TSCYC

Mid: EBCI, SESBI, PSI & TSCYC

Post: EBCI, SESBI, PSI & TSCYC



### Similarities and Differences

1) Access via internet – Log into the County RSA SecurID site or from the intranet for directly operated agencies.




2) The username and password are the same as the IS username and password. If you do not have them, please go to the OMA Wiki and follow the instructions on how to request them.




#### 3) Select a Provider




#### 4) Dropdown of options: Select the correct one




#### 4) Select a Focus



#### 5) Select First 5 LA option



#### 5) Select EBP




PEI Outcomes Measures Version 1.2 Copyright @ 2011 County of Los Angele:

Disclaimer: This confidential information is provided to you in accordance Institutions Code, Civil Code and HIPAA Privacy Standards. Duplication o client/authorized representative to whom it pertains unless otherwise permitt

#### 5) Click okay once you have made your choices







### Screen shot of the an advanced screen.




### Moving Right Along....End of TX







Disposition options are different from other EBP's whether or not the client completes the treatment.



If a client does not complete treatment, the Treatment Outcome options will need to be indicated.





We want to know if the client's caregiver has changed during treatment.

### **Avoiding Data Entry Errors**

- Make sure all information is complete.
- Carefully make sure all scores are within ranges.
  - See the cheat sheet if an error occurs.
- No 6 year olds are allowed at the start of first session.
- Make sure clinicians give a reason if they are unable to collect.

## What do you do when you find mistakes? Do you fix them?



### Need Help?

- Call the HELP DESK: 213-351-1335
  - Issue Description, Provider #, Focus of Treatment, Client ID, and EBP (Specify First 5 LA PCIT)
  - Help Desk will triage your problem

### Questions or Additional Information

- Outcomes Project Website
  - http://dmhoma.pbworks.com
- Angela Trenado, Psychiatric Social Worker
  - atrenado@dmh.lacounty.gov
- PEI Outcomes e-mail address
  - PEIOutcomes@dmh.lacounty.gov